> d his

=> s l1 and aspect ratio 344645 ASPECT 524158 RATIO 12524 ASPECT RATIO

(ASPECT(W)RATIO)

L8 . 0 L1 AND ASPECT RATIO

=> s 11 and crystal? 288503 CRYSTAL? L9 16 L1 AND CRYSTAL?

=> d 15 1-3

- 1. 5,676,985, Oct. 14, 1997, Antifreeze polypeptide-expressing microorganisms useful in fermentation and freezing of foods; Garth L. Fletcher, et al., 426/36, 34, 42; 435/41, 71.1, 252.9, 253.4; 530/350:IMAGE AVAILABLE:
- 2. 5,620,732, Apr. 15, 1997, Method of making **ice cream**; John F. Clemmings, et al., 426/565, 100, 101, 104, 139, 656, 660 :IMAGE AVAILABLE:
- 3. 5,118,792, Jun. 2, 1992, Ice **crystal** growth suppression polypeptides and method of making; Gareth J. Warren, et al., 530/350; 426/321, 656, 657; 435/69.1, 69.7 :IMAGE AVAILABLE:

=> d 19 1-16

- 1. 5,686,249, Nov. 11, 1997, Test for determining frost hardiness of conifer seedlings and protein and antibody related thereto; Abul K. M. Ekramoddoullah, 435/7.1, 7.92, 975; 530/350, 387.1; 800/200, DIG.51:IMAGE AVAILABLE:
- 2. 5,676,985, Oct. 14, 1997, Antifreeze polypeptide-expressing microorganisms useful in fermentation and freezing of foods; Garth L. Fletcher, et al., 426/36, 34, 42; 435/41, 71.1, 252.9, 253.4; 530/350:IMAGE AVAILABLE:
- 3. 5,654,279, Aug. 5, 1997, Tissue destruction in cryosurgery by use of thermal hysteresis; Boris Rubinsky, et al., 514/21; 128/DIG.27; 514/8; 606/20, 21 :IMAGE AVAILABLE:
- 4. 5,648,575, Jul. 15, 1997, Method for inhibiting the plugging of conduits by gas hydrates; Ulfert Cornelis Klomp, et al., 585/15, 899: IMAGE AVAILABLE:
- 5. 5,633,451, May 27, 1997, Transgenic plants having a nucleic acid sequence encoding a dendroides antifreeze protein; John G. Duman,

,

800/205; 435/69 419; 536/23.5; 800/250 :IMAGE VAILABLE:

- 6. 5,627,051, May 6, 1997, Nucleic acid sequences encoding dendroides antifreeze proteins; John G. Duman, 435/69.1; 536/23.5, 24.31: IMAGE AVAILABLE:
- 7. 5,622,698, Apr. 22, 1997, Method and composition for increasing the supercooling point in invertebrates; Richard E. Lee, Jr., 424/93.4; 435/243, 252.34, 847, 874 :IMAGE AVAILABLE:
- 8. 5,620,732, Apr. 15, 1997, Method of making ice cream; John F. Clemmings, et al., 426/565, 100, 101, 104, 139, 656, 660 :IMAGE AVAILABLE:
- 9. 5,550,318, Aug. 27, 1996, Methods and compositions for the production of stably transformed, fertile monocot plants and cells thereof; Thomas R. Adams, et al., 800/205; 435/172.1, 172.3, 412, 413; 800/DIG.56 :IMAGE AVAILABLE:
- 10. 5,489,520, Feb. 6, 1996, Process of producing fertile transgenic zea mays plants and progeny comprising a gene encoding phosphinothricin acetyl transferase; Thomas R. Adams, et al., 435/172.3, 172.1; 536/23.7; 800/205, DIG.56: IMAGE AVAILABLE:
- 11. 5,460,728, Oct. 24, 1995, Method for inhibiting the plugging of conduits by gas hydrates; Ulfert C. Klomp, et al., 210/698; 252/70, 71, 77; 585/15, 899, 950 :IMAGE AVAILABLE:
- 12. 5,358,931, Oct. 25, 1994, Interaction of thermal hysteresis proteins with cells and cell membranes and associated applications; Boris Rubinsky, et al., 514/12; 424/523; 435/1.3, 2; 514/2, 8, 21 :IMAGE AVAILABLE:
- 13. 5,356,816, Oct. 18, 1994, Method and compositions using polypeptides of arabidopsis thaliana; Michael F. Thomashow, 435/320.1; 530/370, 379; 536/23.6 :IMAGE AVAILABLE:
- 14. 5,296,462, Mar. 22, 1994, Method and compositions using polypeptides of arabidopsis thaliana; Michael F. Thomashow, 514/2, 12; 530/324, 350, 370, 379; 536/23.6 :IMAGE AVAILABLE:
- 15. 5,118,792, Jun. 2, 1992, Ice **crystal** growth suppression polypeptides and method of making; Gareth J. Warren, et al., 530/350; 426/321, 656, 657; 435/69.1, 69.7 :IMAGE AVAILABLE:
- 16. 4,952,229, Aug. 28, 1990, Plant supplement and method for increasing plant productivity and quality; Hugh M. Muir, 71/7; 47/58; 71/6, 23, 903, 904, DIG.2 :IMAGE AVAILABLE:

=> d 110 1-10

- 1. 5,695,954, Dec. 9, 1997, DNA encoding two fish neuropeptides; Nancy Gail McKeown Sherwood, et al., 435/69.1, 69.2, 69.4, 252.3, 320.1, 325, 365.1; 536/23.1, 23.51; 935/11 :IMAGE AVAILABLE:
- 2. 5,670,354, Sep. 23, 1997, Use of VSV-G pseudotyped vectors for transfer of genes into embryos; Jane C. Burns, et al., 435/172.3, 320.1; 800/2 :IMAGE AVAILABLE:
- 3. 5,545,808, Aug. 13, 1996, Transgenic salmonid fish expressing exogenous salmonid growth hormone; Choy L. Hew, et al., 800/2; 435/69.4, 172.3; 800/DIG.1; 935/63:IMAGE AVAILABLE:

- 4. 5,512,421, 30, 1996, Generation, concertain and efficient transfer of VSV-G pseudotyped retroviral vectors; Jane C. Burns, et al., 435/320.1; 424/93.2; 435/239; 935/32 :IMAGE AVAILABLE:
- 5. 5,496,550, Mar. 5, 1996, Method of reducing the output of Eimeria oocysts from a newborn chick; Michael Wallach, et al., 424/184.1, 267.1, 271.1, 276.1; 435/69.1, 69.3 :IMAGE AVAILABLE:
- 6. 5,455,164, Oct. 3, 1995, Ruminant immortalized mammary epithelial cell lines; Jeffrey D. Turner, 435/375, 6, 172.3, 325, 948; 935/70, 111:IMAGE AVAILABLE:
- 7. 5,278,284, Jan. 11, 1994, Protein purification method; Lance T. Lusk, et al., 530/305, 412, 415 :IMAGE AVAILABLE:
- 8. 5,251,398, Oct. 12, 1993, Fibrous coatings for protecting fruit bearing or blossoming trees, shrubs or other vegetation from freeze and frost; Leslie L. Balassa, 47/2, 58: IMAGE AVAILABLE:
- 9. 5,177,011, Jan. 5, 1993, Plant elongation factor promoters, coding sequences and uses; Christine K. Shewmaker, et al., 435/172.3, 172.1, 317.1, 423; 536/23.6, 24.1; 800/205; 935/35, 64 :IMAGE AVAILABLE:
- 10. 4,977,085, Dec. 11, 1990, Cloning and expression of yeast STE13 and Dpp2 genes encoding dipeptidyl aminopeptidase A and B; George Sprague, et al., 435/212, 172.3, 224, 254.2, 320.1; 536/23.2, 24.1; 935/14, 28, 60, 69, 70 :IMAGE AVAILABLE:

=> d his

```
(FILE 'USPAT' ENTERED AT 11:49:55 ON 14 DEC 1997)
             26 S (ANTIFREEZE OR ANTI FREEZE) (5A) (PEPTIDE# OR PROTEIN#)
L1
             18 S L1 AND FISH
L2
              3 S L1 AND (ICE CREAM# OR WATER ICE#)
L3
              0 S L3 AND ASPECT RATIO
L4
              3 S L3 AND CRYSTAL?
L5
              1 S L3 AND (MIX? (5A) ICE CREAM)
L6
              1 S L6 AND FISH
L7
              0 S L1 AND ASPECT RATIO
             16 S L1 AND CRYSTAL?
Ь9
             10 S L1 NOT (L5 OR L9)
L10
```

=> s l1 and frozen food#

36014 FROZEN

87407 FOOD#

2310 FROZEN FOOD#

(FROZEN(W)FOOD#)

L11 2 L1 AND FROZEN FOOD#

=> d 111 1-2

- 1. 5,676,985, Oct. 14, 1997, Antifreeze polypeptide-expressing microorganisms useful in fermentation and freezing of foods; Garth L. Fletcher, et al., 426/36, 34, 42; 435/41, 71.1, 252.9, 253.4; 530/350:IMAGE AVAILABLE:
- 2. 5,118,792, Jun. 2, 1992, Ice crystal growth suppression polypeptides and method of making; Gareth J. Warren, et al., 530/350; 426/321, 656, 657; 435/69.1, 69.7 :IMAGE AVAILABLE:

=> d 19 2, 8, 15

- 2. 5,676,985, Oct. 14, 1997, Antifreeze polypeptide-expressing microorganisms useful in fermentation and freezing of foods; Garth L. Fletcher, et al., 426/36, 34, 42; 435/41, 71.1, 252.9, 253.4; 530/350:IMAGE AVAILABLE:
- 8. 5,620,732, Apr. 15, 1997, Method of making ice cream; John F. Clemmings, et al., 426/565, 100, 101, 104, 139, 656, 660 :IMAGE AVAILABLE:
- 15. 5,118,792, Jun. 2, 1992, Ice **crystal** growth suppression polypeptides and method of making; Gareth J. Warren, et al., 530/350; 426/321, 656, 657; 435/69.1, 69.7 :IMAGE AVAILABLE:

=> d 19 2,8,15 kwic

US PAT NO: 5,676,985 :IMAGE AVAILABLE: L9: 2 of 16

SUMMARY:

BSUM(6)

Frozen . . . as its flavor is important to consumers. Texture is to a large extent governed by the size of the ice **crystals**. Producers of these frozen deserts have gone to considerable effort and expense to ensure smooth textured products. However, during frozen storage the ice **crystals** can grow and thus roughen and spoil this texture. The growth of ice **crystals** during frozen storage is known as recrystallization. This problem is particularly common when the frozen storage conditions are less than. . .

SUMMARY:

BSUM(9)

At the present time antifreeze proteins are available for commercial use from two sources; the blood serum from a small number of fish species found in. . . and recombinant DNA techniques such as those described by (but not restricted to) Warren et al., supra. Other sources of antifreeze proteins, such as transgenic plants and animals, are currently being explored. Regardless of the source, the antifreeze polypeptides must be isolated. . .

SUMMARY:

BSUM(11)

An . . . incorporating antifreeze polypeptides into frozen fermented food products is to have the organism responsible for the fermentation process produce the **antifreeze proteins** while fermenting the food. A number of antifreeze polypeptides and their genes have been well characterized and sequenced (see, e.g.. . .

SUMMARY:

BSUM(16)

The . . . and others). According to the invention these

,

=> d his

(FILE 'HOME' ENTERED AT 16:07:45 ON 14 DEC 1997)

FILE 'FSTA' ENTERED AT 16:07:51 ON 14 DEC 1997 45 S (ANTIFREEZE OR ANTI FREEZE) (3A) (PEPTIDE# OR PROTEIN#) L12 S L1 AND ICE CREAM# L2 9 S L1 AND FROZEN FOOD# L34 S (ANTIFREEZE OR ANTI FREEZE) (3A) POLYPEPTIDE# L414 S L2 OR L3 OR L4 L5 7 S L5 AND CRYSTAL? ь6 0 S L5 AND ASPECT RATIO L7 0 S L1 AND ASPECT RATIO r_8 0 S L1 AND ASPECT RATIO# L9

=> s 14 and frozen food#

19092 FROZEN 151216 FOOD#

8768 FROZEN FOOD#

(FROZEN(W)FOOD#)

L10 0 L4 AND FROZEN FOOD#

=> s 14 and ice cream

7983 ICE 12084 CREAM

4776 ICE CREAM

(ICE (W) CREAM)

L11 0 L4 AND ICE CREAM

•

```
LА
     English
    ANSWER 4 OF
                 FSTA COPYRIGHT 1997 IFIS
L6
     94(07):S0004 FSTA
                          FS FSTA
ΑN
     The effects of antifreeze proteins on chilled
TΙ
     and frozen meat.
     Payne, S. R.; Sandford, D.; Harris, A.; Young, O. A.
AU
     Meat Industry Research Institute of New Zealand (Inc.), PO Box 617,
CS
     Hamilton, New Zealand
so
     Meat Science, (1994) 37 (3) 429-438, 14 ref.
     ISSN: 0309-1740.
DT
     Journal
     English
LA
     ANSWER 5 OF 7 FSTA COPYRIGHT 1997 IFIS
L6
     94(07):R0024 FSTA
                          FS FSTA
AN
     Single crystals of a type III antifreeze
TI
    polypeptide from ocean pout.
     Yi Qi Xue; Sicheri, F.; Ala, P.; Hew, C. L.; Yang, D. S. C.
υA
     Dep. of Biochem., McMaster Univ., Hamilton, Ont., Canada
CS
     Journal of Molecular Biology, (1994) 238 (3) 351-352, 7 ref.
SO
     ISSN: 0022-2836.
DT
     Journal
    English
LΑ
     ANSWER 6 OF 7 FSTA COPYRIGHT 1997 IFIS
L6
     93(04):A0041 FSTA
                          FS FSTA
ΑN
     Antifreeze proteins: properties, mechanism of
TΙ
     action, and possible applications.
ΑU
     Feeney, R. E.; Yin Yeh
     Dep. of Food Sci., Univ. of California, Davis, CA 95616, USA
CS
     Food Technology, (1993) 47 (1) 82, 84-88, 90, 67 ref.
SO
     ISSN: 0015-6639.
DT
     Journal
     English
LА
     ANSWER 7 OF 7 FSTA COPYRIGHT 1997 IFIS
L6
     92(05):R0023 FSTA FS FSTA
ΑN
     The effect of enhanced .alpha.-helicity on the activity of a winter
ΤI
     flounder antifreeze polypeptide.
ΑU
     Chakrabartty, A.; Hew, C. L.
     Correspondence (Reprint) address, C. L. Hew, Univ. of Toronto,
CS
     Toronto, Ont. M5G 1L5, Canada
     European Journal of Biochemistry, (1991) 202 (3) 1057-1063, 25 ref.
SO
     ISSN: 0014-2956.
DT
     Journal
LΑ
     English
=> d his
     (FILE 'HOME' ENTERED AT 16:07:45 ON 14 DEC 1997)
     FILE 'FSTA' ENTERED AT 16:07:51 ON 14 DEC 1997
             45 S (ANTIFREEZE OR ANTI FREEZE) (3A) (PEPTIDE# OR PROTEIN#)
L1
L2
              2 S L1 AND ICE CREAM#
              9 S L1 AND FROZEN FOOD#
L3
              4 S (ANTIFREEZE OR ANTI FREEZE) (3A) POLYPEPTIDE#
L4
L5
             14 S L2 OR L3 OR L4
              7 S L5 AND CRYSTAL?
L7
              0 S L5 AND ASPECT RATIO
              0 S L1 AND ASPECT RATIO
rs
              0 S L1 AND ASPECT RATIO#
```

=> s 14 and frozen food#

19092 151216 F

8768 FROZEN FOOD#

(FROZEN(W)FOOD#)

0 L4 AND FROZEN FOOD#

L10

 \Rightarrow s 14 and ice cream

7983 ICE 12084 CREAM 4776 ICE CREAM

(ICE(W)CREAM)

L11

0 L4 AND ICE CREAM